

SPECIES DISTRIBUTION MODELS: Ecological Explanation and Prediction across Space and Time

This supplement provides additional references for the information in our review, following the same structure as the main article. We have selectively listed papers that will either lead to a useful breadth or depth of others, illustrate a particular concept or application, or represent different environments, model uses or promising new approaches.

INTRODUCTION	2
THE SPECIES MODELING LANDSCAPE: ITS DEVELOPMENT AND DIVERSITY	3
Conceptual And Technical Underpinnings	3
Models across Terrestrial, Freshwater and Marine Environments	3
Spatial Scale.....	6
The Interplay of Geographic and Environmental Space.....	7
Using Models for Explanation versus Prediction	8
The Need for Functionally Relevant Predictors.....	9
Methods for modeling: mathematical form and fitting procedures	9
Modeling into the Past or the Future.....	12
Sidebar: Extrapolation.....	12
THE SPECIES MODELING LANDSCAPE – HOTSPOTS, RARITIES, AND DIRECTIONS OF CHANGE	14
Linking Ecological Theory and Distribution Modeling; & Sidebar on Niche Modeling	14
When Absence Is Not Known.....	14
Modeling Responses Other Than the Mean.....	15
Biotic Interactions	16
Integrating Pattern and Process.....	16
Model Selection	17
Model evaluation.....	17
Uncertainty.....	19

INTRODUCTION

- Ahmadi-Nedushan B, St-Hilaire A, Berube M, Robichaud E, Thiemonge N, et al. 2006. A review of statistical methods for the evaluation of aquatic habitat suitability for instream flow assessment. *River Research and Applications* 22: 503-23
- Austin MP. 1985. Continuum concept, ordination methods and niche theory. *Annual Review of Ecology and Systematics* 16: 39-61
- Austin MP. 1999. The potential contribution of vegetation ecology to biodiversity research. *Ecography* 22: 465-84
- Beissinger SR, Walters JR, Catanzaro DG, Smith KG, Dunning JB, et al. 2006. Modeling approaches in avian conservation and the role of field biologists. *Auk* 123: 1-56
- Best BD, Halpin PN, Fujioka E, Read AJ, Qian SS, et al. 2007. Geospatial web services within a scientific workflow: Predicting marine mammal habitats in a dynamic environment. *Ecological Informatics* 2: 210-23
- Block WM, Brennan LA. 1993. The habitat concept in ornithology: theory and applications. *Current Ornithology* 11: 35-91
- Boyce MS, McDonald LL. 1999. Relating populations to habitats using resource selection functions. *Trends In Ecology & Evolution* 14: 268-72
- Brown DG, Aspinall RJ, Bennett DA. 2006. Landscape models and explanation in landscape ecology; a space for generative landscape science? *The Professional Geographer* 58: 369-82
- Elith J, Leathwick JR. 2009. Conservation prioritization using species distribution models. In *Spatial conservation prioritization: quantitative methods and computational tools*, ed. A Moilanen, KA Wilson, HP Possingham: Oxford University Press
- Franklin J. 1995. Predictive vegetation mapping: geographic modelling of biospatial patterns in relation to environmental gradients. *Progress in Physical Geography* 4: 474-99
- Heikkinen RK, Luoto M, Araujo MB, Virkkala R, Thuiller W, et al. 2006. Methods and uncertainties in bioclimatic envelope modelling under climate change. *Progress in Physical Geography* 30: 751-77
- Jarvis A, Yeaman S, Guarino L, Tohme J. 2005. The role of geographic analysis in locating, understanding, and using plant genetic diversity. In *Molecular Evolution: Producing the Biochemical Data, Part B*, pp. 279-98
- Jeschke JM, Strayer DL. 2008. Usefulness of bioclimatic models for studying climate change and invasive species. In *Year in Ecology and Conservation Biology 2008*, pp. 1-24
- Jones J. 2001. Habitat selection studies in avian ecology: a critical review. *The Auk* 118: 557-62
- Liebold AM, Gurevitch J. 2002. Integrating the statistical analysis of spatial data in ecology. *Ecography* 25: 553-57
- Peterson AT. 2006. Uses and requirements of ecological niche models and related distributional models. *Bioinformatics* 3: 59-72
- Scott JM, Heglund PJ, Morrison ML, Raphael MG, Wall WA, et al. 2002. *Predicting Species Occurrences: Issues of Accuracy and Scale*. Covelo, CA: Island Press
- Thuiller W, Albert C, Araújo MB, Berry PM, Cabeza M, et al. 2008. Predicting global change impacts on plant species' distributions: Future challenges. *Perspectives in Plant Ecology, Evolution and Systematics* 9: 137-52

THE SPECIES MODELING LANDSCAPE: ITS DEVELOPMENT AND DIVERSITY

Conceptual And Technical Underpinnings

Advances in physical geography:

- Da Silva AM, Young-Molling CC, Levitus S. 1994. Atlas of Surface Marine Data 1994, Vol. 1: Algorithms and Procedures. NOAA Atlas NESDIS 6. U.S. Gov. Printing Office, Washington D.C.
- Hutchinson MF, Gessler PE. 1994. Splines - more than just a smooth interpolator. *Geoderma* 62: 45-67
- Osborne PE, Alonso JC, Bryant RG. 2001. Modelling landscape-scale habitat use using GIS and remote sensing: a case study with great bustards. *Journal of Applied Ecology* 38: 458-71
- Price DT, McKenney DW, Nalder IA, Hutchinson MF, Kesteven JL. 2000. A comparison of two statistical methods for spatial interpolation of Canada monthly mean climate data. *Agricultural and Forest Meteorology* 101: 81-94
- Turner W, Spector S, Gardiner N, Fladeland M, Sterling E, et al. 2003. Remote sensing for biodiversity science and conservation. *Trends in Ecology and Evolution* 18: 306-14
- Zimmermann N, Edwards T, Moisen G, Frescino T, Blackard J. 2007. Remote sensing-based predictors improve distribution models of rare, early successional and broadleaf tree species in Utah. *Journal of Applied Ecology* 44: 1057-67

Models across Terrestrial, Freshwater and Marine Environments

- Armstrong AJ. 2002. Insects and the determination of priority areas for biodiversity conservation in KwaZulu-Natal province, South Africa. *African Entomology* 10: 11-27
- Austin MP. 1971. Role of regression analysis in plant ecology. *Proceedings of the Ecological Society of Australia* 6: 63-75
- Brooker S, Hay SI, Bundy DAP. 2002. Tools from ecology: useful for evaluating infection risk models? *Trends in Parasitology* 18: 70-74
- Buse J, Schroder B, Assmann T. 2007. Modelling habitat and spatial distribution of an endangered longhorn beetle - A case study for saproxylic insect conservation. *Biological Conservation* 137: 372-81
- Cumming GS. 2000. Using habitat models to map diversity: pan-African species richness of ticks (*Acari: Ixodida*). *Journal of Biogeography* 27: 425-40
- Dedecker AP, Goethals PLM, Gabriels W, De Pauw N. 2004. Optimization of Artificial Neural Network (ANN) model design for prediction of macroinvertebrates in the Zwalm river basin (Flanders, Belgium). *Ecological Modelling* 174: 161-73
- Fleishman E, MacNally R, Fay JP, Murphy DD. 2001. Modeling and predicting species occurrence using broad-scale environmental variables: an example with butterflies of the Great Basin. *Conservation Biology* 15: 1674-85
- Garza-Perez JR, Lehmann A, Arias-Gonzalez JE. 2004. Spatial prediction of coral reef habitats: integrating ecology with spatial modeling and remote sensing. *Marine Ecology-Progress Series* 269: 141-52
- Hamazaki T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic ocean (From Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). *Marine Mammal Science* 18: 920-39
- Hortal J, Garcia-Pereira P, Garcia-Barros E. 2004. Butterfly species richness in mainland Portugal: predictive models of geographic distribution patterns. *Ecography* 27: 68-82

- Hu CX, Zhang DL, Huang ZB, Liu YD. 2003. The vertical microdistribution of cyanobacteria and green algae within desert crusts and the development of the algal crusts. *Plant and Soil* 257: 97-111
- Huntley B, Green RE, Collingham YC, Hill JK, Willis SG, et al. 2004. The performance of models relating species geographical distributions to climate is independent of trophic level. *Ecology Letters* 7: 417-426
- Kaschner K, Watson R, Trites AW, Pauly D. 2006. Mapping world-wide distributions of marine mammal species using a relative environmental suitability (RES) model. *Marine Ecology-Progress Series* 316: 285-310
- Leathwick J, Moilanen A, Francis M, Elith J, Taylor P, et al. 2008. Design and evaluation of large-scale marine protected areas. *Conservation Letters* 1: 92-101
- Leathwick JR, Rowe D, Richardson J, Elith J, Hastie T. 2005. Using multivariate adaptive regression splines to predict the distributions of New Zealand's freshwater diadromous fish. *Freshwater Biology* 50: 2034-52
- Luoto M, Fronzek S, Zuidhoff FS. 2004. Spatial modelling of palusa mires in relation to climate in northern Europe. *Earth Surface Processes and Landforms* 29: 1373-87
- McDonald TL, Manly BFJ, Nielson RM, Diller LV. 2006. Discrete-choice modeling in wildlife studies exemplified by northern spotted owl nighttime habitat selection. *Journal of Wildlife Management* 70: 375-83
- Meents JK, Rice J, Anderson BW, Ohmart RD. 1983. Nonlinear relationships between birds and vegetation. *Ecology* 64: 1022-27
- Millar RB, Anderson MJ. 2004. Remedies for pseudoreplication. *Fisheries Research* 70: 397-407
- Nielsen SE, Boyce MS, Stenhouse GB, Munro RHM. 2003. Development and testing of phenologically driven grizzly bear habitat models. *Ecoscience* 10: 1-10
- Park Y-S, C er ghino R, Compin A, Lek S. 2003. Applications of artificial neural networks for patterning and predicting aquatic insect species richness in running waters. *Ecological Modelling* 160: 265-80
- Schr oder B. 2008. Challenges of species distribution modeling belowground. *Journal of Plant Nutrition and Soil Science* 171: 325-37
- Sileshi G. 2006. Selecting the right statistical model for analysis of insect count data by using information theoretic measures. *Bulletin Of Entomological Research* 96: 479-88
- Skov H, Humphreys E, Garthe S, Geitner K, Gremillet D, et al. 2008. Application of habitat suitability modelling to tracking data of marine animals as a means of analyzing their feeding habitats. *Ecological Modelling* 212: 504-12
- Swartzman, G., Silverman, E., Williamson, N. 1995. Relating trends in walleye pollock (*Theragra chalcogramma*) abundance in the Bering Sea to environmental factors. *Canadian Journal of Fisheries and Aquatic Science* 52: 369-380.
- Van den Berg MS, Joosse W, Coops H. 2003. A statistical model predicting the occurrence and dynamics of submerged macrophytes in shallow lakes in the Netherlands. *Hydrobiologia* 506: 611-23
- van Staden V, Erasmus BFN, Roux J, Wingfield MJ, van Jaarsveld AS. 2004. Modelling the spatial distribution of two important South African plantation forestry pathogens. *Forest Ecology and Management* 187: 61-73
- Venables WN, Dichmont CM. 2004. GLMs, GAMs and GLMMs: an overview of theory for applications in fisheries research. *Fisheries Research* 70: 319-37
- Walsh, W.A., Kleiber, P. 2001. Generalised additive model and regression tree analyses of blue shark (*Prionace glauca*) catch rates by the Hawaii-based commercial longline fishery. *Fisheries Research* 53: 115-131.
- Willems W, Goethals P, Van den Eynde D, Van Hoey G, Van Lancker V, et al. 2008. Where is the worm? Predictive modelling of the habitat preferences of the tube-building polychaete *Lanice conchilega*. *Ecological Modelling* 212: 74-79
- Wintle BA, Elith J, Potts J. 2005. Fauna habitat modelling and mapping in an urbanising environment; A case study in the Lower Hunter Central Coast region of NSW. *Austral Ecology* 30: 729-48

Supplemental Material: Annu. Rev. Ecol. Evol. Syst. 2009. 40:677-697

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

Ysebaert T, Meire P, Herman PMJ, Verbeek H. 2002. Macrobenthic species response surfaces along estuarine gradients: prediction by logistic regression. *Marine Ecology Progress Series* 225: 79-95

Spatial Scale

- Anadon JD, Gimenez A, Martinez M, Palazon JA, Esteve MA. 2007. Assessing changes in habitat quality due to land use changes in the spur-thighed tortoise *Testudo graeca* using hierarchical predictive habitat models. *Diversity and Distributions* 13: 324-31
- Anderson MJ, Connell SD, Gillanders BM, Diebel CE, Blom WM, et al. 2005. Relationships between taxonomic resolution and spatial scales of multivariate variation. *Journal of Animal Ecology* 74: 636-46
- Beever EA, Swihart RK, Bestelmeyer BT. 2006. Linking the concept of scale to studies of biological diversity: evolving approaches and tools. *Diversity and Distributions* 12: 229-35
- Boyce MS. 2006. Scale for resource selection functions. *Diversity and Distributions* 12: 269-76
- Bradshaw GA, McIntosh BA. 1994. Detecting climate-induced patterns using wavelet analysis. *Environmental Pollution* 83: 135-42
- Brotans L, Herrando S, Pla M. 2007. Updating bird species distribution at large spatial scales: applications of habitat modelling to data from long-term monitoring programs. *Diversity and Distributions* 13: 276-88
- Collingham YC, Wadsworth RA, Huntley B, Hulme PE. 2000. Predicting the spatial distribution of non-indigenous riparian weeds: issues of spatial scale and extent. *Journal of Applied Ecology* 37: 13-27
- Dollar ESJ, James CS, Rogers KH, Thoms MC. 2007. A framework for interdisciplinary understanding of rivers as ecosystems. *Geomorphology* 89: 147-62
- Edwards TC, Moisen GG, Frescino TS, Lawler JJ. 2002. Modeling multiple ecological scales to link landscape theory to wildlife conservation. In *Landscape Ecology and Resource Management: Linking Theory with Practice*, ed. JA Bissonette, I Storch, pp. 153-72. Washington D.C.: Island Press
- Enoki T. 2003. Microtopography and distribution of canopy trees in a subtropical evergreen broad-leaved forest in the northern part of Okinawa Island, Japan. *Ecological Research* 18: 103-13
- Feagin RA. 2005. Heterogeneity versus homogeneity: A conceptual and mathematical theory in terms of scale-invariant and scale-covariant distributions. *Ecological Complexity* 2: 339-56
- Graf RF, Bollmann K, Suter W, Bugmann H. 2005. The importance of spatial scale in habitat models: capercaillie in the Swiss Alps. *Landscape Ecology* 20: 703-17
- Guisan A, Graham CH, Elith J, Huettmann F. 2007. Sensitivity of predictive species distribution models to change in grain size. *Diversity and Distributions* 13: 332-40
- Heikkinen RK, Luoto M, Kuussaari M, Toivonen T. 2007. Modelling the spatial distribution of a threatened butterfly: Impacts of scale and statistical technique. *Landscape and Urban Planning* 79: 347-57
- Heikkinen RK, Luoto M, Virkkala R, Pearson RG, Korber JH. 2007. Biotic interactions improve prediction of boreal bird distributions at macro-scales. *Global Ecology and Biogeography* 16: 754-63
- Jones MM, Tuomisto H, Olivas PC. 2008. Differences in the degree of environmental control on large and small tropical plants: just a sampling effect? *Journal of Ecology* 96: 367-77
- Keitt TH, Urban DL. 2005. Scale-specific inference using wavelets. *Ecology* 86: 2497-504
- Krawchuk MA, Taylor PD. 2003. Changing importance of habitat structure across multiple spatial scales for three species of insects. *Oikos* 103: 153-61
- Luoto M, Virkkala R, Heikkinen RK. 2007. The role of land cover in bioclimatic models depends on spatial resolution. *Global Ecology and Biogeography* 16: 34-42
- Luoto M, Hjort J. 2008. Downscaling of coarse-grained geomorphological data. *Earth Surface Processes and Landforms* 33: 75-89
- McPherson JM, Jetz W, Rogers DJ. 2006. Using coarse-grained occurrence data to predict species distributions at finer spatial resolutions-possibilities and limitations. *Ecological Modelling* 192: 499-522
- Meyer CB, Thuiller W. 2006. Accuracy of resource selection functions across spatial scales. *Diversity and Distributions* 12: 288-97

- Meyer CB. 2007. Does scale matter in predicting species distributions? Case study with the Marbled Murrelet. *Ecological Applications* 17: 1474-83
- Olivier F, Wotherspoon SJ. 2005. GIS-based application of resource selection functions to the prediction of snow petrel distribution and abundance in East Antarctica: Comparing models at multiple scales. *Ecological Modelling* 189: 105-29
- Parody JM, Milne BT. 2004. Implications of rescaling rules for multi-scaled habitat models. *Landscape Ecology* 19: 691-701
- Schaefer JA, Mayor SJ. 2007. Geostatistics reveal the scale of habitat selection. *Ecol. Modelling* 209: 401-06
- Wiens JA. 1989. Spatial scaling in ecology. *Functional Ecology* 3: 385-97

The Interplay of Geographic and Environmental Space

- Bahn V, McGill BJ. 2007. Can niche-based distribution models outperform spatial interpolation? *Global Ecology and Biogeography* 16: 733-42
- Bio AMF, De Becker P, De Bie E, Huybrechts W, Wassen M. 2002. Prediction of plant species distribution in lowland river valleys in Belgium: modelling species response to site conditions. *Biodiversity and Conservation* 11: 2189-216
- Bonte D, Baert L, Lens L, Maelfait JP. 2004. Effects of aerial dispersal, habitat specialisation, and landscape structure on spider distribution across fragmented grey dunes. *Ecography* 27: 343-49
- Borcard D, Legendre P. 1994. Environmental control and spatial structure in ecological communities: an example using oribatid mites (Acari, Oribatei). *Environmental and Ecological Statistics* 1: 37-61
- Carl G, Kühn I. 2008. Analyzing spatial ecological data using linear regression and wavelet analysis. *Journal for Stochastic Environmental Research and Risk Assessment* 22: 315-24
- Carroll SS, Pearson DL. 2000. Detecting and modeling spatial and temporal dependence in conservation biology. *Conservation Biology* 14: 1893-97
- De Marco P, Diniz-Filho JAF, Bini LM. 2008. Spatial analysis improves species distribution modelling during range expansion. *Biology Letters* 4: 577-80
- Diniz-Filho JAF, Bini LM, Hawkins BA. 2003. Spatial autocorrelation and red herrings in geographical ecology. *Global Ecology and Biogeography* 12: 53-64
- Fortin MJ, Dale MRT. 2005. *Spatial Analysis: A Guide for Ecologists*. Cambridge: Cambridge University Press. 365 pp.
- Ganio LM, Torgersen CE, Gresswell RE. 2005. A geostatistical approach for describing spatial pattern in stream networks. *Frontiers in Ecology and the Environment* 3: 138-44
- Hardy OJ, Sonke B. 2004. Spatial pattern analysis of tree species distribution in a tropical rain forest of Cameroon: assessing the role of limited dispersal and niche differentiation. *Forest Ecology and Management* 197: 191-202
- Jewell KJ, Arcese P, Gergel SE. 2007. Robust predictions of species distribution: Spatial habitat models for a brood parasite. *Biological Conservation* 140: 259-72
- Jones MM, Rojas PO, Tuomisto H, Clark DB. 2007. Environmental and neighbourhood effects on tree fern distributions in a neotropical lowland rain forest. *Journal of Vegetation Science* 18: 13-24
- Keitt TH, Bjornstad ON, Dixon PM, Citron-Pousty S. 2002. Accounting for spatial pattern when modeling organism-environment interactions. *Ecography* 25: 616-25
- Kindlmann P, Burel F. 2008. Connectivity measures: a review. *Landscape Ecology* 23: 879-90
- Levine JM, Murrell DJ. 2003. The community-level consequences of seed dispersal patterns. *Annual Review of Ecology Evolution and Systematics* 34: 549-74

- Marmion M, Luoto M, Heikkinen RK, Thuiller W. 2009. The performance of state-of-the-art modelling techniques depends on geographical distribution of species. *Ecological Modelling* in press
- Miller J, Franklin J. 2002. Modeling the distribution of vegetation alliances using generalized linear models and classification trees with spatial dependence. *Ecological Modelling* 157: 227-47
- Nathan R, Getz WM, Revillac E, Holyoak M, Ronen Kadmon R, et al. 2008. A movement ecology paradigm for unifying organismal movement research. *Proceedings of the National Academy of Sciences* 105: 19052-59
- Thuiller W, Albert C, Araújo MB, Berry PM, Cabeza M, et al. 2008. Predicting global change impacts on plant species' distributions: Future challenges. *Perspectives in Plant Ecology, Evolution and Systematics* 9: 137-52 (contains large section on dispersal)
- Westphal MI, Field SA, Tyre AJ, Paton D, Possingham HP. 2003. Effects of landscape pattern on bird species distribution in the Mt. Lofty Ranges, South Australia. *Landscape Ecology* 18: 413-26
- Wimberly MC, Baer AD, Yabsley MJ. 2008. Enhanced spatial models for predicting the geographic distributions of tick-borne pathogens. *International Journal of Health Geographics* 7
- Wintle BA, Bardos DC. 2006. Modelling species habitat relationships with spatially autocorrelated observation data. *Ecological Applications* 16: 1945-58
- Worm B, Sandow M, Oschlies A, Lotze HK, Myers RA. 2005. Global patterns of predator diversity in the open oceans. *Science* 309: 1365-69

Using Models for Explanation versus Prediction

- Austin MP, Cunningham RB, Fleming PM. 1984. New approaches to direct gradient analysis using environmental scalars and statistical curve-fitting procedures. *Vegetatio* 55: 11-27
- Austin MP. 1998. An ecological perspective on biodiversity investigations: Examples from Australian eucalypt forests. *Annals of the Missouri Botanical Garden* 85: 2-17
- Capen DE, Fenwick JW, Inkley DB, Boynton AC. 1986. Multivariate models of songbird habitat in New England forests. In *Wildlife 2000: Modeling Habitat Relationships of Terrestrial Vertebrates. Based on an International Symposium held at Stanford Sierra Camp, Fallen Leaf Lake, California*, ed. J Verner, ML Morrison, CJ Ralph, pp. 171-75. Wisconsin, USA: The University of Wisconsin Press
- Ferrier S, Smith AP. 1990. Using Geographic Information Systems for biological survey design, analysis and extrapolation. *Australian Biologist* 3: 105-16
- Heegaard E. 1997. Ecology of *Andreaea* in western Norway. *Journal of Bryology* 19: 527-636
- Iverson LR, Prasad AM. 1998. Predicting Abundance of 80 Tree Species Following Climate Change in the Eastern United States. *Ecological Monographs* 68: 465-85
- Jarvis A, Williams K, Williams D, Guarino L, Caballero PJ, et al. 2005. Use of GIS for optimizing a collecting mission for a rare wild pepper (*Capsicum flexuosum* Sendtn.) in Paraguay. *Genetic Resources and Crop Evolution* 52: 671-82
- Jeschke JM, Strayer DL. 2008. Usefulness of bioclimatic models for studying climate change and invasive species. In *Year in Ecology and Conservation Biology 2008*, pp. 1-24
- Loiselle BA, Howell CA, Graham CH, Goerck JM, Brooks T, et al. 2003. Avoiding pitfalls of using species distribution models in conservation planning. *Conservation Biology* 17: 1591-600
- Meents JK, Rice J, Anderson BW, Ohmart RD. 1983. Nonlinear Relationships between Birds and Vegetation. *Ecology* 64: 1022-27
- Peterson AT, Martinez-Meyer E, Gonzalez-Salazar C. 2004. Reconstructing the pleistocene geography of the Aphelocoma jays (Corvidae). *Biodiversity Research* 10: 237-46
- Peterson AT, Pape M, Eaton M. 2007. Transferability and model evaluation in ecological niche modeling: a comparison of GARP and Maxent. *Ecography* 30: 550

- Phillips S. 2008. Response to "Transferability and model evaluation in ecological niche modelling". *Ecography* 31: 272-8
- Randin CF, Dirnbock T, Dullinger S, Zimmermann NE, Zappa M, Guisan A. 2006. Are niche-based species distribution models transferable in space? *Journal of Biogeography* 33: 1689-703
- Raxworthy CJ, Martinez-Meyer E, Horning N, Nussbaum RA, Schneider GE, et al. 2003. Predicting distributions of known and unknown reptile species in Madagascar. *Nature (London)* 426: 837-41
- Schadt S, Revilla E, Wiegand T, Knauer F, Kaczensky P, et al. 2002. Assessing the suitability of central European landscapes for the reintroduction of Eurasian lynx. *Journal of Applied Ecology* 39: 189-203
- VanReusel W, Maes D, Van Dyck H. 2007. Transferability of Species Distribution Models: a Functional Habitat Approach for Two Regionally Threatened Butterflies *Conservation Biology* 21: 201-12
- Webb NF, Hebblewhite M, Merrill EH. 2008. Statistical methods for identifying wolf kill sites using global positioning system locations. *Journal of Wildlife Management* 72: 798-807

The Need for Functionally Relevant Predictors

- Bio AMF. 2000. *Does Vegetation Suit Our Models? Data and Model Assumptions and the Assessment of Species Distribution in Space*. PhD thesis, published. thesis. Utrecht University, Netherlands, Utrecht, Netherlands. 195 pp.
- Box EO. 1995. Factors determining distributions of tree species and plant functional types. *Vegetatio* 121: 101-16
- Coudun C, Gegout JC. 2007. Quantitative prediction of the distribution and abundance of *Vaccinium myrtillus* with climatic and edaphic factors. *Journal of Vegetation Science* 18: 517-24
- Guisan A, Zimmermann NE. 2000. Predictive habitat distribution models in ecology. *Ecological Modelling* 135: 147-86
- Huntley B, Berry PM, Cramer W, McDonald AP. 1995. Modelling present and potential future ranges of some European higher plants using climate response surfaces. *Journal of Biogeography* 22: 967-1001
- Leathwick J, Whitehead D. 2001. Soil and atmospheric water deficits and the distribution of New Zealand's indigenous tree species. *Functional Ecology* 15: 233-42
- Leathwick JR. 1998. Are New Zealand's *Nothofagus* species in equilibrium with their environment? *Journal of Vegetation Science* 9: 719-32
- Maravelias CD, Reid DG. 1997. Identifying the effects of oceanographic features and zooplankton on pre-spawning herring abundance using generalised additive models. *Marine Ecology Progress Series* 147: 1-9
- Moore ID, Grayson RB, Ladson AR. 1991. Digital terrain modelling: a review of hydrological, geomorphological and biological applications. *Hydrological Processes* 5: 3-30
- Prentice IC, Cramer W, Harrison SP, Leemans R, Monserud RA, et al. 1992. A global biome model based on plant physiology and dominance, soil properties and climate. *Journal of Biogeography* 19
- Wilson JP, Gallant JC, eds. 2000. *Terrain Analysis: Principles and Applications*. New York: John Wiley and Sons
- Woodward FI. 1987. *Climate and Plant Distribution*. Cambridge: Cambridge University Press
- Ysebaert T, Meire P, Herman PMJ, Verbeek H. 2002. Macrobenthic species response surfaces along estuarine gradients: prediction by logistic regression. *Marine Ecology Progress Series* 225: 79-95

Methods for modeling: mathematical form and fitting procedures

- Austin MP, Meyers JA. 1996. Current approaches to modelling the environmental niche of eucalypts: Implication for management of forest biodiversity. *Forest Ecology and Management* 85: 95-106

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Barry SC, Welsh AH. 2002. Generalized additive modelling and zero inflated count data. *Ecological Modelling* 157: 179-88
- Batschelet E. 1981. *Circular Statistics in Biology*. London: Academic Press. 371 pp.
- Benito Garzon M, Blazeb R, Neteler M, Sanchez de Dios R, Sainz Ollero H, et al. 2006. Predicting habitat suitability with machine learning models: The potential area of *Pinus sylvestris* in the Iberian Peninsula. *Ecological Modelling* 197: 383-93
- Bio AMF, Alkemande R, Barendregt A. 1998. Determining alternative models for vegetation response analysis - a non-parametric approach. *Journal of Vegetation Science* 9: 5-16
- Breiman L. 2001. Statistical modeling: the two cultures. *Statistical Science* 16: 199-215
- Burgman MA, Breininger DR, Duncan BW, Ferson S. 2001. Setting reliability bounds on Habitat Suitability Indices. *Ecological Applications* 11: 70-78
- Caruana R, Niculescu-Mizil A. 2006. *An Empirical Comparison of Supervised Learning Algorithms*. Presented at Proceedings of the 23 rd International Conference on Machine Learning, Pittsburgh, PA
- De'ath G, Fabricius KE. 2000. Classification and regression trees: a powerful yet simple technique for ecological data analysis. *Ecology* 81: 3178-92
- Drake JA, al. e. in prep. *Machine learning methods in ecology*: Princeton University Press
- Dzeroski S, Drumm D. 2003. Using regression trees to identify the habitat preference of the sea cucumber (*Holothuria leucospilota*) on Rarotonga, Cook Islands. *Ecological Modelling* 170: 219-26
- Farber O, Kadmon R. 2003. Assessment of alternative approaches for bioclimatic modeling with special emphasis on the Mahalanobis distance. *Ecological Modelling* 160: 115-30
- Ferrier S, Watson G. 1997. An Evaluation of the Effectiveness of Environmental Surrogates and Modelling Techniques in Predicting the Distribution of Biological Diversity, Consultancy report prepared by the NSW National Parks and Wildlife Service for Department of Environment, Sport and Territories, Environment Australia, Canberra. <http://www.deh.gov.au/biodiversity/publications/technical/surrogates/>
- Fletcher D, MacKenzie D, Villouta E. 2005. Modelling skewed data with many zeros: A simple approach combining ordinary and logistic regression. *Environmental and Ecological Statistics* 12: 45-54
- Flury BD, Levri EP. 1999. Periodic logistic regression. *Ecology* 80: 2254-60
- Graham CH, Hijmans RJ. 2006. A comparison of methods for mapping species ranges and species richness. *Global Ecology & Biogeography* 15: 578
- Guisan A, Harrell FE. 2000. Ordinal response regression models in ecology. *Journal of Vegetation Science* 11: 617-26
- Heikkinen RK, Luoto M, Kuussaari M, Toivonen T. 2007. Modelling the spatial distribution of a threatened butterfly: Impacts of scale and statistical technique. *Landscape and Urban Planning* 79: 347-57
- Hernandez PA, Graham CH, Master LL, Albert DL. 2006. The effect of sample size and species characteristics on performance of different species distribution modeling methods. *Ecography* 29: 773
- Hirzel AH, Hausser J, Chessel D, Perrin N. 2002. Ecological-niche factor analysis: How to compute habitat-suitability maps without absence data? *Ecology* 83: 2027-36
- Keating KA, Cherry S. 2004. Use and interpretation of logistic regression in habitat selection studies. *Journal of Wildlife Management* 68: 774-89
- Leathwick JR, Elith J, Hastie T. 2006. Comparative performance of generalized additive models and multivariate adaptive regression splines for statistical modelling of species distributions. *Ecological Modelling* 199: 188-96
- Lehmann A, Overton JM, Leathwick JR. 2003. GRASP: generalized regression analysis and spatial prediction. *Ecological Modelling* 160: 165-83

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- MacKenzie DI, Nichols JD, Hines JE, Knutson MG, Franklin AB. 2003. Estimating site occupancy, colonization and local extinction probabilities when a species is not detected with certainty. *Ecology* 84: 2200-07
- MacKenzie DI. 2005. Was it there? Dealing with imperfect detection for species presence/absence data. *Australia and New Zealand Journal of Statistics* 47: 65-74
- Manel S, Dias JM, Buckton ST, Ormerod SJ. 1999. Alternative methods for predicting species distribution: an illustration with Himalayan river birds. *Journal of Applied Ecology* 36: 734-47
- Martin TG, Wintle BA, Rhodes JR, Kuhnert PM, Field SA, et al. 2005. Zero tolerance ecology: improving ecological inference by modelling the source of zero observations. *Ecology Letters* 8: 1235-46
- McCarthy MA. 2007. *Bayesian Methods for Ecology*. Cambridge: Cambridge University Press
- McCune B, Berryman SD, Cissel JH, Gitelman AI. 2003. Use of a smoother to forecast occurrence of epiphytic lichens under alternative forest management plans. *Ecological Applications* 13: 1110-23
- Meynard CN, Quinn JF. 2007. Predicting species distributions: a critical comparison of the most common statistical models using artificial species. *Journal of Biogeography* 34: 1455-69
- Moisen, G.G., Freeman EA, Blackard JA, Frescino TS, Zimmermann NE, et al. 2006. Predicting tree species presence and basal area in Utah: a comparison of stochastic gradient boosting, generalized additive models, and tree-based methods. *Ecological Modelling* 199: 176-87
- Muñoz J, Fellicísimo ÁM. 2004. Comparison of statistical methods commonly used in predictive modeling. *Journal of Vegetation Science* 15: 285-92
- Nielsen SE, Boyce MS, Stenhouse GB, Munro RHM. 2003. Development and testing of phenologically driven grizzly bear habitat models. *Ecoscience* 10: 1-10
- Olden JD, Lawler JJ, Poff NL. 2008. Machine learning methods without tears: A primer for ecologists. *Quarterly Review of Biology* 83: 171-93
- Ostro LET, Young TP, Silver SC, Koontz FW. 1999. A geographic information system method for estimating home range size. *Journal of Wildlife Management* 63: 748-55
- Potts J, Elith J. 2006. Comparing species abundance models. *Ecological Modelling* 199: 153-63
- Prasad AM, Iverson LR, Liaw A. 2006. Newer Classification and Regression Tree Techniques: Bagging and Random Forests for Ecological Prediction. *Ecosystems* 9: 181-99
- Segurado P, Araujo MB. 2004. An evaluation of methods for modelling species distributions. *Journal of Biogeography* 31: 1555-68
- Venables WN, Dichmont CM. 2004. GLMs, GAMs and GLMMs: an overview of theory for applications in fisheries research. *Fisheries Research* 70: 319-37
- Wintle BA. 2004. Precision and bias of methods for estimating point survey detection probabilities. *Ecological Applications* 14: 703-12
- Worton BJ. 1989. Kernel methods for estimating the utilization distribution in home-range studies. *Ecology* 70: 164-68
- Yee SH, Santavy DL, Barron MG. 2008. Comparing environmental influences on coral bleaching across and within species using clustered binomial regression. *Ecological Modelling* 218: 162-74
- Yee TW, Mitchell ND. 1991. Generalized additive models in plant ecology. *Journal of Vegetation Science* 2: 587-602
- Zeman P, Lynen G. 2006. Evaluation of four modelling techniques to predict the potential distribution of ticks using indigenous cattle infestations as calibration data. *Experimental and Applied Acarology* 39: 163-76

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time
Elith and Leathwick**Modeling into the Past or the Future**

- Barrows CW, Preston KL, Rotenberry JT, Allen MF. 2008. Using occurrence records to model historic distributions and estimate habitat losses for two psammophilic lizards. *Biological Conservation* 141: 1885-93
- Bickford S, Mackey B. 2004. Reconstructing pre-impact vegetation cover in modified landscapes using environmental modelling, historical surveys and remnant vegetation data: a case study in the Fleurieu Peninsula, South Australia. *Journal of Biogeography* 31: 787-805
- Flantua SGA, van Boxel JH, Hooghiernstra H, van Smaalen J. 2007. Application of GIS and logistic regression to fossil pollen data in modelling present and past spatial distribution of the Colombian savanna. *Climate Dynamics* 29: 697-712
- Benito Garzon M, de Dios RS, Ollero HS. 2007. Predictive modelling of tree species distributions on the Iberian Peninsula during the Last Glacial Maximum and Mid-Holocene. *Ecography* 30: 120-34
- Graham CH, Ron SR, Santos JC, Schneider CJ, Moritz C. 2004. Integrating phylogenetics and environmental niche models to explore speciation mechanisms in dendrobatid frogs. *Evolution* 58: 1781-93
- Jackson ST, Williams JW. 2004. Modern analogs in quaternary paleoecology: here today, gone yesterday, gone tomorrow? *Annual Review of Earth and Planetary Sciences* 32: 495-537
- Kitchener AC, Dugmore AJ. 2000. Biogeographical change in the tiger, *Panthera tigris*. *Animal Conservation* 3: 113-24
- Leathwick JR, Rogers GM. 1996. Modeling relationships between environment and canopy composition in secondary vegetation in central North Island, New Zealand. *New Zealand Journal of Ecology* 20: 147-62
- Martinez-Meyer E, Peterson AT. 2006. Conservatism of ecological niche characteristics in North American plant species over the Pleistocene-to-Recent transition. *Journal of Biogeography* 33: 1779-89
- Nielsen SE, Boyce MS, Stenhouse GB, Munro RHM. 2003. Development and testing of phenologically driven grizzly bear habitat models. *Ecoscience* 10: 1-10
- Rissler L. 2007. Adding more ecology into species delimitation: Ecological niche models and phylogeography help define cryptic species in the black salamander (*Aneides flavipunctatus*). *Systematic Biology* 56: 924-42
- Ruegg KC, Hijmans RJ, Moritz C. 2006. Climate change and the origin of migratory pathways in the Swainson's thrush, *Catharus ustulatus*. *Journal of Biogeography* 33: 1172-82
- Swenson NG. 2006. GIS-based niche models reveal unifying climatic mechanisms that maintain the location of avian hybrid zones in a North American suture zone. *Journal of Evolutionary Biology* 19: 717-25
- Welk E. 2004. Constraints in range predictions of invasive plant species due to non-equilibrium distribution patterns: Purple loosestrife (*Lythrum salicaria*) in North America. *Ecological Modelling* 179: 551-67
- Winkler RL. 1989. Uncertainty about processes that shift over time - modeling and analysis - comment. *Journal of Business & Economic Statistics* 7: 419-22
- Yesson C, Culham A. 2006. Phyloclimatic modeling: combining phylogenetics and bioclimatic modeling. *Systematic Biology* 55: 785 - 802

Sidebar: Extrapolation

- Araújo MB, Guisan A. 2006. Five (or so) challenges for species distribution modelling. *Journal of Biogeography* 33: 1677-88
- Araújo MB, Rahbek C. 2006. How does climate change affect biodiversity? *Science* 313: 1396 – 97
- Broennimann O, Guisan A. 2008. Predicting current and future biological invasions: both native and invaded ranges matter. *Biology Letters*

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Fitzpatrick MC, Weltzin JF, Sanders NJ, Dunn RR. 2007. The biogeography of prediction error: why does the introduced range of the fire ant over-predict its native range? *Global Ecology and Biogeography* 16: 24-33
- Gignac LD, Nicholson BJ, Bayley SE. 1998. The utilization of bryophytes in bioclimatic modeling: Predicted northward migration of peatlands in the Mackenzie River Basin, Canada, as a result of global warming. *Bryologist* 101: 572-87
- Jeschke JM, Strayer DL. 2008. Usefulness of bioclimatic models for studying climate change and invasive species. In *Year in Ecology and Conservation Biology 2008*, pp. 1-24
- Lima FP, Ribeiro PA, Queiroz N, Xavier R, Tarroso P, et al. 2007. Modelling past and present geographical distribution of the marine gastropod *Patella rustica* as a tool for exploring responses to environmental change. *Global Change Biology* 13: 2065-77
- Loo SE, Mac Nally R, Lake PS. 2007. Forecasting New Zealand mudsnail invasion range: Model comparisons using native and invaded ranges. *Ecological Applications* 17: 181-89
- Marmion M, Parviainen M, Luoto M, Heikkinen RK, Thuiller W. 200. Evaluation of consensus methods in predictive species distribution modelling. *Diversity and Distributions* 15
- Meyer MD, Robertson MP, Peterson AT, Mansell MW. 2008. Ecological niches and potential geographical distributions of Mediterranean fruit fly (*Ceratitis capitata*) and Natal fruit fly (*Ceratitis rosa*). *Journal of Biogeography* 35: 270-81
- Miller JR, Turner MG, Smithwick EAH, Dent CL, Stanley EH. 2004. Spatial extrapolation: the science of predicting ecological patterns and processes. *BioScience* 54: 310-20
- Morin X, Lechowicz MJ. 2008. Contemporary perspectives on the niche that can improve models of species range shifts under climate change. *Biology Letters*
- Neilson RP, Pitelka LF, Solomon AM, Nathan R, Midgley GF, et al. 2005. Forecasting regional to global plant migration in response to climate change. *BioScience* 55: 749-59
- Parmesan C. 2006. Ecological and Evolutionary Responses to Recent Climate Change. *Annual Review of Ecology, Evolution, and Systematics* 37: 637-69
- Randin CF, Dirnbock T, Dullinger S, Zimmermann NE, Zappa M, et al. 2006. Are niche-based species distribution models transferable in space? *Journal of Biogeography* 33: 1689-703
- Richardson DM, Pysek P. 2008. Fifty years of invasion ecology - the legacy of Charles Elton. *Diversity and Distributions* 14: 161-68
- Schussman H, Geiger E, Mau-Crimmins T, Ward J. 2006. Spread and current potential distribution of an alien grass, *Eragrostis lehmanniana* Nees, in the southwestern USA: comparing historical data and ecological niche models. *Diversity and Distributions* 12: 582-92
- Sugiyama M, Krauledat M, Müller K-R. 2007. Covariate shift adaptation by importance weighted cross validation. *J. Mach. Learn. Res.* 8:985-1005
- Sutherst RW, Maywald G. 2005. A climate model of the red imported fire ant, *Solenopsis invicta* Buren (Hymenoptera : Formicidae): Implications for invasion of new regions, particularly Oceania. *Environmental Entomology* 34: 317-35
- Thuiller W, Richardson DM, Pysek P, Midgley GF, Hughes GO, et al. 2005. Niche-based modelling as a tool for predicting the risk of alien plant invasions at a global scale. *Global Change Biology* 11: 2234-50
- Williams NSG, Hahs AK, Morgan JW. 2008. A dispersal-constrained habitat suitability model for predicting invasion of alpine vegetation. *Ecological Applications* 18: 347-59

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

THE SPECIES MODELING LANDSCAPE – HOTSPOTS, RARITIES, AND DIRECTIONS OF CHANGE

Linking Ecological Theory and Distribution Modeling; & Sidebar on Niche Modeling

- Ackerly DD. 2003. Community Assembly, Niche Conservatism, and Adaptive Evolution in Changing Environments. *International Journal of Plant Sciences* 164: S165-S84
- Austin MP, Nicholls AO, Margules CR. 1990. Measurement of the realized qualitative niche: environmental niches of five eucalypt species. *Ecological Monographs* 60: 161-77
- Austin MP. 1980. Searching for a model for use in vegetation analysis. *Vegetatio* 42: 11-21
- Drake JM, Randin C, Guisan A. 2006. Modelling ecological niches with support vector machines. *Journal of Applied Ecology* 43: 424
- Guisan A, Thuiller W. 2005. Predicting species distribution: offering more than simple habitat models. *Ecology Letters* 8: 993-1009
- Guisan A, Zimmermann NE. 2000. Predictive habitat distribution models in ecology. *Ecological Modelling* 135: 147-86
- Guisan A. 2006. Making better biogeographical predictions of species' distributions. *Journal of Applied Ecology* 43: 386-92
- Kearney M. 2006. Habitat, environment and niche: what are we modelling? *Oikos*
- Malanson GP, Westman WE, Yan YL. 1992. Realized versus fundamental niche functions in a model of chaparral response to climatic change. *Ecological Modelling* 64: 261-77
- Moore KA, Elmendorf SC. 2006. Propagule vs. niche limitation: untangling the mechanisms behind plant species' distributions. *Ecology Letters* 9: 797-804
- Norris K. 2004. Managing threatened species: the ecological toolbox, evolutionary theory and declining-population paradigm. *Journal of Applied Ecology* 41: 413-26
- Pearman PB, Guisan A, Broennimann O, Randin CF. 2008. Niche dynamics in space and time. *Trends in Ecology & Evolution* 23: 149-58
- Peterson AT, Soberon J, Sánchez-Cordero V. 1999. Conservatism of ecological niches in evolutionary time. *Science* 285: 1265-67
- Rushton SP, Ormerod SJ, Kerby G. 2004. New paradigms for modelling species distributions?. *Journal of Applied Ecology* 41: 193-200
- Soberón JM, Peterson AT. 2005. Interpretation of models of fundamental ecological niches and species' distributional areas. *Biodiversity Informatics* 2: 1-10
- Wesser SD, Armbruster WS. 1991. Species distribution controls across a forest-steppe transition - a causal model and experimental test. *Ecological Monographs* 61: 323-42

When Absence Is Not Known

- Anderson RP. 2003. Real vs artefactual absences in species distributions: tests for *Oryzomys albigularis* (Rodentia: Muridae) in Venezuela. *Journal of Biogeography* 30: 591-605
- Ferrier S, Watson G. 1997. *An Evaluation of the Effectiveness of Environmental Surrogates and Modelling Techniques in Predicting the Distribution of Biological Diversity*, Consultancy report prepared by the NSW National Parks and Wildlife Service for Department of Environment, Sport and Territories, Environment Australia, Canberra. <http://www.deh.gov.au/biodiversity/publications/technical/surrogates/>

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Gibson L, Barrett B, Burbidge A. 2007. Dealing with uncertain absences in habitat modelling: a case study of a rare ground-dwelling parrot. *Diversity & Distributions* 13: 704
- Harrison JA. 1992. The Southern African Bird Atlas Project Data-Bank - 5 Years of Growth. *South African Journal of Science* 88: 410-13
- Jones MB, Schildhauer MP, Reichman OJ, Bowers S. 2006. The New Bioinformatics: Integrating Ecological Data from the Gene to the Biosphere. *Annual Review of Ecology, Evolution, and Systematics* 37: 519-44
- Kodricbrown A, Brown JH. 1993. Incomplete Data Sets in Community Ecology and Biogeography - a Cautionary Tale. *Ecological Applications* 3: 736-42
- Lutolf M, Kienast F, Guisan A. 2006. The ghost of past species occurrence: improving species distribution models for presence-only data. *Journal of Applied Ecology* 43: 802-15
- Maitre DCL, Thuiller W, Schonegevel L. 2008. Developing an approach to defining the potential distributions of invasive plant species: a case study of *Hakea* species in South Africa. *Global Ecology and Biogeography* 17: 569-84
- Phillips SJ, Dudik M, Elith J, Graham C, Lehmann A, et al. 2009. Sample selection bias and presence-only models of species distributions. *Ecological Applications* 19:181-97
- Rondinini C, Wilson KA, Boitani L, Grantham H, Possingham HP. 2006. Tradeoffs of different types of species occurrence data for use in systematic conservation planning. *Ecology Letters* 9: 1136-45
- Ward G, Hastie T, Barry SC, Elith J, Leathwick JR 2009. Presence-only data and the EM algorithm. *Biometrics* 65, 554-63
- Zaniewski AE, Lehmann A, Overton JM. 2002. Predicting species distribution using presence-only data: a case study of native New Zealand ferns. *Ecological Modelling* 157: 261-80

Modeling Responses Other Than the Mean

- Cade BS, Richards JD. 2006. A permutation test for quantile regression. *Journal Of Agricultural Biological And Environmental Statistics* 11: 106-26
- Cade BS, Terrell JW, Schroeder RL. 1999. Estimating effects of limiting factors with regression quantiles. *Ecology* 80: 311-23
- Dunham JB, Cade BS, Terrell JW. 2002. Influences of spatial and temporal variation on fish-habitat relationships defined by regression quantiles. *Transactions of the American Fisheries Society* 131: 86-98
- Eastwood PD, Meaden GJ, Carpentier A, Rogers SI. 2003. Estimating limits to the spatial extent and suitability of sole (*Solea solea*) nursery grounds in the Dover Strait. *Journal of Sea Research* 50: 151-65
- Farnsworth A, Lovette IJ. 2008. Phylogenetic and ecological effects on interspecific variation in structurally simple avian vocalizations. *Biological Journal of the Linnean Society* 94: 155-73
- Lancaster J, Belyea LR. 2006. Defining the limits to local density: alternative views of abundance-environment relationships. *Freshwater Biology* 51: 783-96
- Machado JAF, Santos Silva JMC. 2005. Quantiles for counts. *Journal of the American Statistical Association* 100: 1226-37
- Schroder HK, Andersen HE, Kiehl K. 2005. Rejecting the mean: Estimating the response of fen plant species to environmental factors by non-linear quantile regression. *Journal of Vegetation Science* 16: 373-82
- Slingsby JA, Verboom GA. 2006. Phylogenetic relatedness limits co-occurrence at fine spatial scales: Evidence from the schoenoid sedges (Cyperaceae : Schoeneae) of the Cape Floristic Region, South Africa. *American Naturalist* 168: 14-27
- Vaz S, Martin CS, Eastwood PD, Ernande B, Carpentier A, et al. 2009. Modelling species distributions using regression quantiles. *Journal of Applied Ecology* 45: 204-17

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

Biotic Interactions

- Anderson RP, Peterson AT, Gomez-Laverde M. 2002. Using niche-based GIS modeling to test geographic predictions of competitive exclusion and competitive release in South American pocket mice. *Oikos* 98: 3-16
- Campomizzi AJ, Butcher JA, Farrell SL, Snelgrove AG, Collier BA, et al. 2008. Conspecific attraction is a missing component in wildlife habitat modeling. *Journal of Wildlife Management* 72: 331-36
- Case TJ, Holt RD, McPeck MA, Keitt TH. 2005. The community context of species' borders: ecological and evolutionary perspectives. *Oikos* 108: 28-46
- Cornell HV, Lawton JH. 1992. Species interactions, local and regional processes, and limits to the richness of ecological communities: a theoretical perspective. *Journal of Animal Ecology* 61: 1-12
- Heikkinen RK, Luoto M, Virkkala R, Pearson RG, Korber JH. 2007. Biotic interactions improve prediction of boreal bird distributions at macro-scales. *Global Ecology and Biogeography* 16: 754-63
- Heikkinen RK, Luoto M, Virkkala R, Pearson RG, Korber JH. 2007. Biotic interactions improve prediction of boreal bird distributions at macro-scales. *Global Ecology and Biogeography* 16: 754-63
- Leathwick JR, Austin MP. 2001. Competitive interactions between tree species in New Zealand's old-growth indigenous forests. *Ecology* 82: 2560-73
- Leathwick JR. 2002. Intra-generic competition among *Nothofagus* in New Zealand's primary indigenous forests. *Biodiversity and Conservation* 11: 2177-87
- Mitchell CE, Agrawal AA, Bever JD, Gilbert GS, Hufbauer RA, et al. 2006. Biotic interactions and plant invasions. *Ecology Letters* 9: 726-40
- Navas ML, Garnier E, Austin MP, Gifford RM. 1999. Effect of competition on the responses of grasses and legumes to elevated atmospheric CO₂ along a nitrogen gradient: differences between isolated plants, monocultures and multi-species mixtures. *New Phytologist* 143: 323-31
- Ozesmi S, Ozesmi U. 1999. An artificial neural network approach to habitat modelling with interspecific interaction. *Ecological Modelling* 116: 15-31
- Peres-Neto PR. 2004. Patterns in the co-occurrence of fish species in streams: the role of site suitability, morphology and phylogeny versus species interactions. *Oecologia* 140: 352-60
- Slingsby JA, Verboom GA. 2006. Phylogenetic relatedness limits co-occurrence at fine spatial scales: Evidence from the schoenoid sedges (Cyperaceae : Schoeneae) of the Cape Floristic Region, South Africa. *American Naturalist* 168: 14-27
- Suttle KB, Thomsen MA, Power ME. 2007. Species interactions reverse grassland responses to changing climate. *Science* 315: 640-42
- Thuiller W, Albert C, Araújo MB, Berry PM, Cabeza M, et al. 2008. Predicting global change impacts on plant species' distributions: Future challenges. *Perspectives in Plant Ecology, Evolution and Systematics* 9: 137-52

Integrating Pattern and Process

- Brown DG, Aspinall RJ, Bennett DA. 2006. Landscape models and explanation in landscape ecology; a space for generative landscape science? *The Professional Geographer* 58: 369-82
- Hooten MB, Wikle CK, Dorazio RM, Royle JA. 2007. Hierarchical Spatiotemporal Matrix Models for Characterizing Invasions. *Biometrics* 63: 558-67
- Iverson LR, Prasad AM, Bossenbroek J, Sydnor D, Schwartz MW. 2009. Modeling potential movements of an ash threat: the emerald ash borer. In *Advances in threat assessment and their application to forest and rangeland management*. www.threats.forestencyclopedia.net, ed. J Pye, M Raucher

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Latimer AM, Wu SS, Gelfand AE, Silander JA. 2006. Building statistical models to analyze species distributions. *Ecological Applications* 16: 33-50
- Morin X, Augspurger C, Chuine I. 2007. Process-based modeling of species' distributions: What limits temperate tree species' range boundaries? *Ecology* 88: 2280-91
- Norris K. 2004. Managing threatened species: the ecological toolbox, evolutionary theory and declining-population paradigm. *Journal of Applied Ecology* 41: 413-26
- Rouget M, Richardson DM. 2003. Inferring process from pattern in plant invasions: a semimechanistic model incorporating propagule pressure and environmental factors. *American Naturalist* 162: 713-24
- Schurr FM, Midgley GF, Rebelo AG, Reeves G, Poschod P, et al. 2007. Colonization and persistence ability explain the extent to which plant species fill their potential range. *Global Ecology & Biogeography* 16: 449-59

Model Selection

- Buckland ST, Burnham KP, Augustin NH. 1997. Model selection: an integral part of inference. *Biometrics* 53: 603-18
- Clark JS, Gelfand AE. 2006. A future for models and data in environmental science. *Trends in Ecology & Evolution* 21: 375-80
- Diniz-Filho JAF, Rangel TFLVB, Bini LM. 2008. Model selection and information theory in geographical ecology. *Global Ecology and Biogeography* 17: 479-88
- Harrell FE. 2001. *Regression Modeling Strategies with Applications to Linear Models, Logistic Regression and Survival Analysis*. New York: Springer Verlag. 568 pp.
- Hastie T, Tibshirani R, Friedman JH. 2009. *The Elements of Statistical Learning: Data Mining, Inference, and Prediction, 2nd edition*. New York: Springer-Verlag. 744 pp.
- Jose VRR, Winkler RL. 2008. Simple robust averages of forecasts: Some empirical results. *International Journal of Forecasting* 24: 163-69
- Kohavi R. 1995. *A study of cross-validation and bootstrap for accuracy estimation and model selection*. Presented at Proceedings of the Fourteenth International Joint Conference on Artificial Intelligence, San Mateo, CA
- McCarthy MA. 2007. *Bayesian Methods for Ecology*. Cambridge: Cambridge University Press
- Sileshi G. 2006. Selecting the right statistical model for analysis of insect count data by using information theoretic measures. *Bulletin Of Entomological Research* 96: 479-88
- Steyerberg EW, Eijkemans MJC, Habbema JDF. 1999. Stepwise selection in small data sets: a simulation study of bias in logistic regression analysis. *Journal of Clinical Epidemiology* 52: 935-42
- Steyerberg EW, Eijkemans MJC, Harrell FE, Habbema JDF. 2001. Prognostic modeling with logistic regression analysis: in search of a sensible strategy in small data sets. *Medical Decision Making* 21: 45-56
- Sullivan J, Joyce P. 2005. Model selection in phylogenetics. *Annual Review of Ecology, Evolution, and Systematics* 36: 445-66
- Wintle BA, McCarthy MM, Kavanagh RP, Burgman MA. 2003. The use of Bayesian model averaging to better represent uncertainty in predictions derived from ecological models. *Conservation Biology* 17: 1579-90

Model evaluation

- Allouche O, Tsoar A, Kadmon R. 2006. Assessing the accuracy of species distribution models: prevalence, kappa and the true skill statistic (TSS). *Journal of Applied Ecology* 43: 1223-32
- Araújo MB, Pearson RG, Thuiller W, Erhard M. 2005. Validation of species-climate impact models under climate change. *Global Change Biology* 11: 1504-13

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Banerjee M, Capozzoli M, McSweeney L, Sinha D. 1999. Beyond kappa: a review of interrater agreement measures. *Canadian Journal of Statistics* 27: 3-23
- Cohen J. 1968. Weighted kappa: nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin* 70: 213-20
- Dodd LE, Pepe MS. 2003. Partial AUC estimation and regression. *Biometrics* 59: 614-23
- Drake JA, al. e. in prep. *Machine learning methods in ecology*: Princeton University Press
- Elith J, Burgman MA. 2002. Predictions and their validation: rare plants in the Central Highlands, Victoria, Australia. In *Predicting Species Occurrences: Issues of Accuracy and Scale*, ed. JM Scott, PJ Heglund, ML Morrison, MG Raphael, WA Wall, et al, pp. 303-14. Covelo, CA: Island Press
- Elith J, Graham C. 2009. Do they? How do they? WHY do they differ? -- on finding reasons for differing performances of species distribution models. *Ecography* 32: 66-77.
- Ferrier S, Watson G. 1997. *An Evaluation of the Effectiveness of Environmental Surrogates and Modelling Techniques in Predicting the Distribution of Biological Diversity*, Consultancy report prepared by the NSW National Parks and Wildlife Service for Department of Environment, Sport and Territories, Environment Australia, Canberra. <http://www.deh.gov.au/biodiversity/publications/technical/surrogates/>
- Fielding AH, Bell JF. 1997. A review of methods for the assessment of prediction errors in conservation presence/absence models. *Environmental Conservation* 24: 38-49
- Freeman EA, Moisen GG. 2008. A comparison of the performance of threshold criteria for binary classification in terms of predicted prevalence and kappa. *Ecological Modelling* 217: 48-58
- Harrell FE, Lee KL, Mark DB. 1996. Multivariate prognostic models: issues in developing models, evaluating assumptions and adequacy, and measuring and reducing errors. *Statistics in Medicine* 15: 361-87
- Hernandez PA, Graham CH, Master LL, Albert DL. 2006. The effect of sample size and species characteristics on performance of different species distribution modeling methods. *Ecography* 29: 773-85
- Hirzel AH, Le Lay G, Helfer V, Randin C, Guisan A. 2006. Evaluating the ability of habitat suitability models to predict species presences. *Ecological Modelling* 199: 142-52
- Johnson CJ, Gillingham MP. 2005. An evaluation of mapped species distribution models used for conservation planning. *Environmental Conservation* 32: 117-28
- Liu C, Berry PM, Dawson TP, Pearson RG. 2005. Selecting thresholds of occurrence in the prediction of species distributions. *Ecography* 28: 385-93
- Lobo JM, Jiménez-Valverde A, Real R. 2008. AUC: a misleading measure of the performance of predictive distribution models. *Global Ecology and Biogeography* 17: 145-51
- Luck GW. 2002. The habitat requirements of the rufous treecreeper (*Climacteris rufa*). 2. Validating predictive habitat models. *Biological Conservation* 105: 395-403
- Manel S, Williams HC, Ormerod SJ. 2001. Evaluating presence-absence models in ecology: the need to account for prevalence. *Journal of Applied Ecology* 38: 921-31
- McPherson JM, Jetz W. 2007. Effects of species' ecology on the accuracy of distribution models. *Ecography* 30: 135-51
- Miller ME, Hui SL, Tierney WM. 1991. Validation techniques for logistic regression models. *Statistics in Medicine* 10: 1213-26
- Newton-Cross G, White PCL, Harris S. 2007. Modelling the distribution of badgers *Meles meles*: comparing predictions from field-based and remotely derived habitat data. *Mammal Review* 37: 54-70
- Olden JD, Jackson DA, Peres-Neto PR. 2002. Predictive models of fish species distributions: A note on proper validation and chance predictions. *Transactions of the American Fisheries Society* 131: 329-36
- Ottaviani D, Lasinio GJ, Boitani L. 2004. Two statistical methods to validate habitat suitability models using presence-only data. *Ecological Modelling* 179: 417-43

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Pearce JL, Boyce MS. 2006. Modelling distribution and abundance with presence-only data. *Journal of Applied Ecology* 43: 405-12
- Peterson AT, Papes M, Soberón J. 2008. Rethinking receiver operating characteristic analysis applications in ecological niche modeling. *Ecological Modelling* 213: 63-72
- Phillips, S. and Elith, J. (accepted). POC-plots: calibrating species distribution models with presence-only data. *Ecology*
- Pontius RG, Huffaker D, Denman K. 2004. Useful techniques of validation for spatially explicit land-change models. *Ecological Modelling* 179: 445-61
- Reese GC, Wilson KR, Hoeting JA, Flather CH. 2005. Factors affecting species distribution predictions: A simulation modeling experiment. *Ecological Applications* 15: 554-64
- Rosset S, Perlich C, Zadrozny B. 2007. Ranking-based evaluation of regression models. *Knowledge and Information Systems* 12: 331-53
- Rykiel EJJ. 1996. Testing ecological models: the meaning of validation. *Ecological Modelling* 90: 229-44
- Steyerberg EW, Bleeker SE, Moll HA, Grobbee DE, Moons KGM. 2003. Internal and external validation of predictive models: a simulation study of bias and precision in small samples. *Journal of Clinical Epidemiology* 56: 441-47
- Steyerberg EW, Harrell FE, Borsboom GJJM, Eijkemans MJC, Vergouwe Y, et al. 2001. Internal validation of predictive models: efficiency of some procedures for logistic regression analysis. *Journal of Clinical Epidemiology* 54: 774-81
- Vaughan IP, Ormerod SJ. 2005. The continuing challenges of testing species distribution models. *Journal of Applied Ecology* 42: 720-30
- Visser H. & de Nijs T. 2006. The Map Comparison Kit. *Environmental Modeling & Software* 21, 346-358.
- Wiens TS, Dale BC, Boyce MS, Kershaw GP. 2008. Three way k-fold cross-validation of resource selection functions. *Ecological Modelling* 212: 244-55
- Winkler RL, Jose VRR. 2008. Comments on: Assessing probabilistic forecasts of multivariate quantities, with an application to ensemble predictions of surface winds. *Test* 17: 251-55
- Winkler RL. 1994. Evaluating probabilities - asymmetric scoring rules. *Management Science* 40: 1395-405

Uncertainty

- Araújo MB, Whittaker RJ, Ladle RJ, Erhard M. 2005. Reducing uncertainty in projections of extinction risk from climate change. *Global Ecology & Biogeography* 14: 529-38
- Beven K. 1993. Prophecy, reality and uncertainty in distributed hydrological modelling. *Advances in Water Resources* 16
- Burgman M. 2005. *Risks and Decisions for Conservation and Environmental Management*. Cambridge, UK: Cambridge University Press. 488 pp.
- Dormann CF, Purschke O, García-Marquez J, Lautenbach S, Schröder B. 2008 accepted. Components of uncertainty in species distribution analysis: A case study of the Great Grey Shrike *Lanius excubitor*. *Ecology*
- Elith J, Burgman MA, Regan HM. 2002. Mapping epistemic uncertainties and vague concepts in predictions of species distribution. *Ecological Modelling* 157: 313-29
- Fitzpatrick MC, Weltzin JF, Sanders NJ, Dunn RR. 2007. The biogeography of prediction error: why does the introduced range of the fire ant over-predict its native range? *Global Ecology and Biogeography* 16: 24-33
- Franklin J, Simons DK, Beardsley D, Rogan JM, Gordon H. 2001. Evaluating errors in a digital vegetation map with forest inventory data and accuracy assessment using fuzzy sets. *Transactions in GIS* 5: 285-304

doi: 10.1146/annurev.ecolsys.110308.120159

Species Distribution Models: Ecological Explanation and Prediction Across Space and Time

Elith and Leathwick

- Graham CH, Elith J, Hijmans RJ, Guisan A, Peterson AT, et al. 2008. The influence of spatial errors in species occurrence data used in distribution models. *Journal of Applied Ecology* 45: 239-47
- Harrell FE, Lee KL, Mark DB. 1996. Multivariate prognostic models: issues in developing models, evaluating assumptions and adequacy, and measuring and reducing errors. *Statistics in Medicine* 15: 361-87
- Hartley S, Harris R, Lester PJ. 2006. Quantifying uncertainty in the potential distribution of an invasive species: climate and the Argentine ant. *Ecology Letters* 9: 1068-79
- Heikkinen R. 2006. Methods and uncertainties in bioclimatic envelope modelling under climate change. *Progress in Physical Geography* 30: 751-77
- Johnson C. 2004. Mapping uncertainty: sensitivity of wildlife habitat ratings to expert opinion. *Journal of Applied Ecology* 41: 1032-41
- Johnson C. 2008. Sensitivity of species-distribution models to error, bias, and model design: An application to resource selection functions for woodland caribou. *Ecological Modelling* 213: 143-55
- Langford W, Gergel S, Dietterich T, Cohen W. 2006. Map misclassification can cause large errors in landscape pattern indices: examples from habitat fragmentation. *Ecosystems* 9: 474-88
- Leyk S, Zimmermann NE. 2004. A predictive uncertainty model for field-based survey maps using generalized linear models. In *Geographic Information Science, Proceedings*, pp. 191-205
- Luoto M. 2005. Uncertainty of bioclimate envelope models based on the geographical distribution of species. *Global Ecology and Biogeography* 14: 575-84
- Moilanen A, Runge MC, Elith J, Tyre D, Carmel Y, et al. 2006. Planning for robust reserve networks using uncertainty analysis. *Ecological Modelling* 199: 115-24
- Pearson RG, Thuiller W, Araújo MB, Martinez-Meyer E, Brotons L, et al. 2006. Model-based uncertainty in species range prediction. *Journal of Biogeography* 33: 1704-11
- Possingham HP, Grantham H, Rondinini C. 2007. How can you conserve species that haven't been found? *Journal of Biogeography* 34: 758-59
- Ray N, Burgman MA. 2006. Subjective uncertainties in habitat suitability maps. *Ecological Modelling* 195: 172-86
- Regan H. 2003. Treatments of uncertainty and variability in ecological risk assessment of single-species populations. *Human and Ecological Risk Assessment* 9: 889-906
- Regan HM, Burgman M, Carey J. 2009. Conservation prioritization and uncertainty in planning inputs. In *Spatial conservation prioritization: quantitative methods and computational tools*, ed. A Moilanen, KA Wilson, HP Possingham: Oxford University Press
- Southwell DM, Lechner AM, Coates T, Wintle BA. 2008. The Sensitivity of Population Viability Analysis to Uncertainty about Habitat Requirements: Implications for the Management of the Endangered Southern Brown Bandicoot. *Conservation Biology*
- Thuiller W. 2004. Patterns and uncertainties of species' range shifts under climate change. *Global Change Biology* 10: 2020-27
- Van Horssen PW, Schot PP, Barendregt A. 1999. A GIS-based plant prediction model for wetland ecosystems. *Landscape Ecology* 14: 253-65
- Van Niel KP, Austin MP. 2007. Predictive vegetation modeling for conservation: Impact of error propagation from digital elevation data. *Ecological Applications* 17: 266-80
- Van Niel KP, Laffan SW, Lees BG. 2004. Error and uncertainty in environmental variables for predictive vegetation modelling. *Journal of Vegetation Science* 15: 747-56
- Wechsler. 2007. Uncertainties associated with digital elevation models for hydrologic applications: a review. *Hydrology and Earth System Sciences* 11: 1481-500